
PRODUCT DATA SHEET



# SAFETOUCH™ HUBER NEEDLE SET

## (WITH CUSHION*)

STERILE, SINGLE-USE, NON-CORING HUBER NEEDLE
INFUSION SET WITH SAFETY DEVICE

*Not available for products with Y-site

NIPRO

# Safetouch™ Huber Needle set (WITH CUSHION*)

STERILE, SINGLE-USE, NON-CORING HUBER NEEDLE INFUSION SET WITH SAFETY DEVICE

- Intended for the infusion of drug solutions into or blood sampling from a reservoir implanted in the body
- Each gauge and length of needle is power-injectable up to 300 psi for the products without Y-site
- Compact design without the need for additional stabilizing components
- Intuitive activation of the safety mechanism
- Designed for use with a vascular access infusion system
- Non-coring needle with cap
- Needle fixed at 90° angle
- Fixed colored wings
- Base with cushion for patient comfort
- Not made with latex or DEHP
- Available with or without Y-site
- Tubing lengths of 200 mm (with Y-site) and 200 or 450 mm (without Y-site)
- Available in 19, 20, and 22G
- Available in 19, 25, and 38 mm (¾", 1", 1½" respectively)

CE 0123
**class IIb Medical Devices**
**Rule 7**
**MDD 93/ 42/ EEC**
**UMDNS 12729**

## Product Compliance

- Complies with the following norms, directives, and regulations:
  - ISO 9626:2016
  - ISO 7864
  - ISO 8536-4
  - ISO 10555-3
  - ISO 80369-7

## Manufacturing DETAILS

**Legal manufacturer:** Nipro Corporation


**Country of origin:** Thailand

## Sterilization and Shelf Life

| Sterilization | Single-use only | Indicator sticker | Shelf life |
|---|---|---|---|
| EtO (Ethylene oxide) STERILE EO | 2 | Each outer box (or shipping carton) contains a chemical indicator that indicates sterility. This indicator comes in the form of a violet sticker that turns blue when sterilized. | 3 years |

*Not available for products with Y-site

# Materials Used




Not made with Latex or DEHP

# PRODUCT RANGE OVERVIEW

| Reference code | Description | Needle outer diameter (G) | Needle length (mm) | Tube length volume (mm) | Y-site | Priming volume (mL) |
|---|---|---|---|---|---|---|
| HCNS-SF-1919C20-ET* | SF Huber coreless Ndl Set 19G 19 mm 20 cm - with cushion | 19 | 19 | 200 | No | 0.3 |
| HCNS-SF-1925C20-ET* | SF Huber coreless Ndl Set 19G 25 mm 20 cm - with cushion | 19 | 25 | 200 | No | 0.3 |
| HCNS-SF-1938C20-ET* | SF Huber coreless Ndl Set 19G 38 mm 20 cm - with cushion | 19 | 38 | 200 | No | 0.3 |
| HCNS-SF-2019C20-ET* | SF Huber coreless Ndl Set 20G 19 mm 20 cm - with cushion | 20 | 19 | 200 | No | 0.3 |
| HCNS-SF-2025C20-ET* | SF Huber coreless Ndl Set 20G 25 mm 20 cm - with cushion | 20 | 25 | 200 | No | 0.3 |
| HCNS-SF-2038C20-ET* | SF Huber coreless Ndl Set 20G 38 mm 20 cm - with cushion | 20 | 38 | 200 | No | 0.3 |
| HCNS-SF-2219C20-ET* | SF Huber coreless Ndl Set 22G 19 mm 20 cm - with cushion | 22 | 19 | 200 | No | 0.3 |
| HCNS-SF-2225C20-ET* | SF Huber coreless Ndl Set 22G 25 mm 20 cm - with cushion | 22 | 25 | 200 | No | 0.3 |
| HCNS-SF-2238C20-ET* | SF Huber coreless Ndl Set 22G 38 mm 20 cm - with cushion | 22 | 38 | 200 | No | 0.3 |
| HCNS-SF-1919Y-ET | SF Huber coreless Ndl Set 19G 19 mm Y | 19 | 19 | 200 | Yes | 0.6 |
| HCNS-SF-1925Y-ET | SF Huber coreless Ndl Set 19G 25 mm Y | 19 | 25 | 200 | Yes | 0.6 |
| HCNS-SF-2019Y-ET | SF Huber coreless Ndl Set 20G 19 mm Y | 20 | 19 | 200 | Yes | 0.6 |
| HCNS-SF-2025Y-ET | SF Huber coreless Ndl Set 20G 25 mm Y | 20 | 25 | 200 | Yes | 0.6 |
| HCNS-SF-2038Y-ET | SF Huber coreless Ndl Set 20G 38 mm Y | 20 | 38 | 200 | Yes | 0.6 |
| HCNS-SF-2219Y-ET | SF Huber coreless Ndl Set 22G 19 mm Y | 22 | 19 | 200 | Yes | 0.6 |
| HCNS-SF-2225Y-ET | SF Huber coreless Ndl Set 22G 25 mm Y | 22 | 25 | 200 | Yes | 0.6 |
| HCNS-SF-2238Y-ET | SF Huber coreless Ndl Set 22G 38 mm Y | 22 | 38 | 200 | Yes | 0.6 |

*Can be produced also in 450 mm on demand

# Packaging Details

## Without Y-site

| Individual unit | | | Inner box | | | | | Outer box | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L (mm) | W (mm) | Weight (g) | Quantity (pcs) | L (mm) | W (mm) | H (mm) | Weight (kg) | Quantity (pcs) | L (mm) | W (mm) | H (mm) | Weight (kg) |
| 98 | 85 | 13.2 | 20 | 308 | 105 | 152 | 0.376 | 160 | 434 | 322 | 332 | 3.77 |

## With Y-site

| Individual unit | | | Inner box | | | | | Outer box | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L (mm) | W (mm) | Weight (g) | Quantity (pcs) | L (mm) | W (mm) | H (mm) | Weight (kg) | Quantity (pcs) | L (mm) | W (mm) | H (mm) | Weight (kg) |
| 98 | 85 | 13.8 | 20 | 308 | 105 | 152 | 0.388 | 160 | 434 | 322 | 332 | 3.868 |

## Languages

26 languages: English (EN), Bulgarian (BG), Czech (CS), Danish (DA), German (DE), Greek (EL), Spanish (ES), Estonian (ET), Finnish (FI), French (FR), Croatian (HR), Hungarian (HU), Italian (IT), Lithuanian (LT), Latvian (LV), Dutch (NL), Norwegian (NO), Polish (PL), Portuguese (PT), Romanian (RO), Russian (RU), Slovakian (SK), Slovenian (SL), Serbian (SR), Swedish (SV), Turkish (TR).

## Transport and storage conditions

Keep dry and away from sunlight.

## Label details

| | Individual unit | Inner box | Outer box |
|---|---|---|---|
| Product name | ✓ | ✓ | ✓ |
| Product size | ✓ | ✓ | ✓ |
| Quantity (pcs) | — | ✓ | ✓ |
| REF | ✓ | — | — |
| LOT | ✓ | ✓ | ✓ |
| | ✓ | ✓ | ✓ |
| STERILE EO | ✓ | ✓ | ✓ |
| CE | ✓ | ✓ | ✓ |
| | ✓ | ✓ | ✓ |
| | ✓ | ✓ | ✓ |
| | ✓ | ✓ | ✓ |
| | ✓ | ✓ | ✓ |
| EC REP | ✓ | ✓ | ✓ |

| | Individual unit | Inner box | Outer box |
|---|---|---|---|
| | — | ✓ | ✓ |
| | — | — | ✓ |
| | — | — | ✓ |
| | — | — | ✓ |
| | ✓ | ✓ | ✓ |
| Priming vol. | ✓ | — | — |
| MADE IN THAILAND | ✓ | ✓ | ✓ |
| Not made with LATEX | ✓ | ✓ | ✓ |
| Not made with DEHP | ✓ | ✓ | ✓ |
| | — | — | ✓ |
| Label/sticker area | — | ✓ | ✓ |



NIPRO Live Longer. Live Better.
NIPRO Corporation
3-26 Senriokashinmachi, Settsu-shi, Osaka 566-8510, JAPAN. | www.nipro.com